

SOBO D

Page: 1

Compilation date: 15/03/2012

Revision date: 01/03/2016

Revision No: 7

#### Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SOBO D

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC35: Washing and cleaning products (including solvent based products).

# 1.3. Details of the supplier of the safety data sheet

Company name: Oil Technics Ltd

Linton Business Park

Gourdon

Aberdeenshire DD10 0NH

United Kingdom, Scotland

**Tel:** +44 (0) 1561 361515 **Email:** info@oiltechnics.com

## 1.4. Emergency telephone number

Emergency tel: +44 (0) 1561 361515 (24 Hours)

#### **Section 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Classification under CHIP: Xi: R36/38

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

#### 2.2. Label elements

Label elements under CLP:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

SOBO D

Page: 2

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P332+313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

#### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

#### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

PRIMARY ALCOHOL ETHOXYLATE - REACH registered number(s): 01-2119980051-45-XXXX

EINECS	CAS	CHIP Classification	CLP Classification	Percent	
-	68439-45-2	-	Eye Dam. 1: H318; Acute Tox. 4: H302	1-5%	
ALKYLPOLYGLYCOSIDE C9-11					
603-654-0	132778-08-6	-	Eye Dam. 1: H318	1-5%	
DISODIUM META	ASILICATE - REA	ACH registered number(s): 01-21194498	311-37-XXXX		
229-912-9	6834-92-0	-	Skin Corr. 1B: H314; STOT SE 3: H335	1-5%	
2-(2-BUTOXYETHOXY)ETHANOL - REACH registered number(s): 01-2119475104-44					
203-961-6	112-34-5	-	Eye Irrit. 2: H319	<1%	

# Non-classified ingredients:

1310-73-2

#### WATER

215-185-5

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	7732-18-5	-	-	>80%

Skin Corr. 1A: H314

#### Section 4: First aid measures

## 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a

doctor.

SODIUM HYDROXIDE - REACH registered number(s): 01-2119982981-22

<1%

SOBO D

Page: 3

#### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

## Section 5: Fire-fighting measures

## 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

#### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside do not approach from

downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn

leaking containers leak-side up to prevent the escape of liquid.

# 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

#### 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

SOBO D

Page: 4

## 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

#### 7.3. Specific end use(s)

Specific end use(s): No data available.

#### Section 8: Exposure controls/personal protection

## 8.1. Control parameters

#### **Hazardous ingredients:**

## 2-(2-BUTOXYETHOXY)ETHANOL

#### Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	67.5 mg/m3	101.2 mg/m3	-	-

#### **SODIUM HYDROXIDE**

UK	-	2 mg/m3	-	-
----	---	---------	---	---

#### **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

#### 8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** Refer to specific Member State legislation for requirements under Community

environmental legislation.

## Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Pale green

Odour: Barely perceptible odour

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Highly soluble

SOBO D

Page: 5

Viscosity: Non-viscous

Boiling point/range ℃: >35 Flash point ℃: >93

Relative density: 1.035 pH: 11

9.2. Other information

Other information: No data available.

#### Section 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

#### 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

## **Hazardous ingredients:**

#### PRIMARY ALCOHOL ETHOXYLATE

DERMAL	-	LD50	>2000	mg/kg
ORAL	-	LD50	>300, <2000	mg/kg

#### **ALKYLPOLYGLYCOSIDE C9-11**

ORAL - LD50 2000 mg/kg
------------------------

#### **DISODIUM METASILICATE**

ORL	MUS	LD50	770	mg/kg
ORL	RAT	LD50	1153	mg/kg

SOBO D

Page: 6

#### 2-(2-BUTOXYETHOXY)ETHANOL

ORL	MUS	LD50	6050	mg/kg
ORL	RAT	LD50	4500	mg/kg

#### **SODIUM HYDROXIDE**

IPR	MUS	LD50	40	mg/kg
ORL	RBT	LDLO	500	mg/kg

#### Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT DRM	Hazardous: calculated

## Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may

cause coughing or wheezing.

**Delayed** / **immediate effects:** Immediate effects can be expected after short-term exposure.

Other information: Not applicable.

## **Section 12: Ecological information**

#### 12.1. Toxicity

## Hazardous ingredients:

#### PRIMARY ALCOHOL ETHOXYLATE

ALGAE	LL/EL/IL50	>100	mg/l
Daphnia magna	LL/EL/IL50	1-10	mg/l
FISH	LL/EL/IL50	1-10	mg/l

#### **ALKYLPOLYGLYCOSIDE C9-11**

FISH	96H LC50	10	mg/l
------	----------	----	------

## **DISODIUM METASILICATE**

ALGAE	96H LC50	>1000	mg/l
DAPHNIA	48H EC50	4857	mg/l
FISH	96H LC50	3185	mg/l

SOBO D

Page: 7

#### 2-(2-BUTOXYETHOXY)ETHANOL

Daphnia magna	48H EC50	>1000	mg/l
FISH	96H LC50	2700	mg/l

#### **SODIUM HYDROXIDE**

DAPHNIA	48H EC50	40.4	mg/l
Gambusia affinis	96H LC50	125	mg/l
Photobacterium phosphoreum	15min LC50	22	mg/l
Poecilia reticulata	24H LC50	145	mg/l

#### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

#### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

## Section 13: Disposal considerations

## 13.1. Waste treatment methods

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal

company.

Recovery operations: Not applicable.

**Disposal of packaging:** May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

#### **Section 14: Transport information**

Transport class: This product does not require a classification for transport.

#### **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.2. Chemical Safety Assessment

SOBO D

Page: 8

#### Section 16: Other information

#### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

Phrases used in s.2 and s.3: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.H319: Causes serious eye irritation.H335: May cause respiratory irritation.

R36/38: Irritating to eyes and skin.

Legend to abbreviations: PNEC = predicted no effect level

DNEL = derived no effect level

LD50 = median lethal dose

LC50 = median lethal concentration EC50 = median effective concentration

IC50 = median inhibitory concentration

dw = dry weight

bw = body weight

cc = closed cup

oc = open cup

MUS = mouse

GPG = guinea pig

RBT = rabbit

HAM = hamster

HMN = human

MAM = mammal

PGN = pigeon

IVN = intravenous

SCU = subcutaneous

SKN = skin

DRM = dermal

OCC = ocular/corneal

PCP = phycico-chemical properties

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.