

# SAFETY DATA SHEET

### 1. Identification

**Product identifier COREFLEX® XP** Other means of identification Not available. Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

CETCO, an MTI Company Company name

**Address** 2870 Forbs Avenue

Hoffman Estates, IL 60192

**United States** 

800 527-9948 **Telephone** General Information

Website http://www.cetco.com/ E-mail safety.data@amcol.com

**Emergency phone number** 

**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962 Access Code 333562

# 2. Hazard(s) identification

Physical hazards Not classified. Not classified. **Health hazards Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. **Hazard symbol** Signal word None

The mixture does not meet the criteria for classification. **Hazard statement** 

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

**Supplemental information** 

Not applicable.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
TRADE SECRET*		Proprietary*	18.7500156249
			0.0001875
Other components below reportable leve	s		81.2497968747
Impurities			
Chemical name		CAS number	%

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. The manufacturer lists no ingredients as hazardous according to OSHA 29 CFR 1910.1200. No dangerous ingredients according to Directive 2001/58/EC

# Composition comments

Occupational Exposure Limits for impurities are listed in Section 8. This product contains naturally occurring crystalline silica (not listed in Annex I of Directive 67/548/EEC) in quantities less than 1%.

14808-60-7

Material name: COREFLEX® XP

5628 Version #: 04 Revision date: 07-May-2015 Print date: 07-May-2015

#### 4. First-aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if

victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped

with a one-way valve or other proper respiratory medical device.

Skin contact Remove and isolate contaminated clothing and shoes. For minor skin contact, avoid spreading

material on unaffected skin.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Continue rinsing.

**Ingestion** Rinse mouth thoroughly. Do not induce vomiting without advice from poison control center. If

Direct contact with eyes may cause temporary irritation.

vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of

a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

In case of shortness of breath, give oxygen. Symptoms may be delayed.

treatment needed

**General information** 

In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Dry chemical, CO2, water spray or regular foam. Carbon

dioxide (CO2). Use any media suitable for the surrounding fires.

Unsuitable extinguishing

media

None known.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

equipment/instructions

In the event of fire, cool tanks with water spray.

**Specific methods**Cool containers exposed to flames with water until well after the fire is out.

General fire hazards Not a fire hazard. No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear a dust mask if dust is generated above exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Stop the flow of material, if this is without risk. Collect dust or particulates using a vacuum cleaner with a HEPA filter. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Reduce airborne dust and prevent scattering by moistening with water.

**Environmental precautions** 

Do not contaminate water.

### 7. Handling and storage

Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid release to the environment.

Conditions for safe storage, including any incompatibilities

No special restrictions on storage with other products. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material. Keep in a cool, well-ventilated place.

# 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
TRADE SECRET (CAS Proprietary)	STEL	5 ppm
, , , , , , , , , , , , , , , , , , , ,	TWA	1 ppm

Material name: COREFLEX® XP

SDS US

Impurities	s for Air Contaminants (29 CFR 1910.10 Type	Value	Form	
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m3	Respirable fraction.	
(6/16/614266)		15 mg/m3	Total dust.	
US. OSHA Table Z-3 (29 C			_	
Impurities	Туре	Value	Form	
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
		50 mppcf	Total dust.	
		15 mppcf	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.3 mg/m3	Total dust.	
(CAS 14000-00-7)		0.1 mg/m3	Respirable.	
		2.4 mppcf	Respirable.	
US. ACGIH Threshold Lim	nit Values		·	
Components	Type	Value	Form	
TRADE SECRET (CAS Proprietary)	STEL	15 ppm		
,	TWA	1 mg/m3	Respirable fraction.	
		10 ppm		
Impurities	Туре	Value	Form	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components	Туре	Value		
TRADE SECRET (CAS Proprietary)	Ceiling	15 mg/m3		
		4 ppm		
Impurities	Туре	Value	Form	
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.	
logical limit values	No biological exposure limits noted for	r the ingredient(s).		
osure guidelines	Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.			
propriate engineering trols	If engineering measures are not sufficient to maintain concentrations of dust particulates below th OEL, suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.			
vidual protection measure	es, such as personal protective equipme	ent		
Eye/face protection	Wear dust goggles. Avoid contact with eyes. Eye wash fountain is recommended.			
	For prolonged or repeated akin contact use suitable protective gloves			

### Ind

For prolonged or repeated skin contact use suitable protective gloves. **Hand protection** Wear protective gloves. No special protective equipment required. Other

**Respiratory protection** Use a particulate filter respirator for particulate concentrations exceeding the Occupational

Exposure Limit.

Thermal hazards Wear appropriate thermal protective clothing, when necessary. Use good industrial hygiene practices in handling this material. General hygiene considerations

# 9. Physical and chemical properties

**Appearance** The product consists of bentonite granules between geotextile layers

Solid. **Physical state** 

Not available. **Form** Not available. Color Not available. Odor

Material name: COREFLEX® XP 5628 Version #: 04 Revision date: 07-May-2015 Print date: 07-May-2015 Odor threshold Not available.

pH 7 - 11

7 - 11

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Non-flammable
Evaporation rate Not available.
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Non-explosive

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Negligible

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 1.41 g/cm3 estimated

Percent volatile 0 % estimated

Specific gravity 1.41 estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possibility of hazardous

reactions

Will not occur.

**Conditions to avoid** None known. Contact with incompatible materials.

Incompatible materials None known.

**Hazardous decomposition** 

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide.

# 11. Toxicological information

Information on likely routes of exposure

IngestionExpected to be a low ingestion hazard.InhalationProlonged inhalation may be harmful.

**Skin contact** Not available.

Eye contact Direct contact with eyes may cause temporary irritation.

Symptoms related to the Direct contact with eyes may cause temporary irritation.

physical, chemical and toxicological characteristics

Information on toxicological effects

**Acute toxicity** 

Material name: COREFLEX® XP

**Test Results** Components **Species** TRADE SECRET (CAS Proprietary) Acute Dermal LD50 Rabbit 2320 mg/kg Inhalation LC50 Guinea pig 6215 ppm, 4 Hours Mouse 1550 ppm, 4 Hours Rabbit 2500 ppm, 4 Hours Rat 3680 ppm, 4 Hours 11.4 mg/l/4h Oral LD50 Mouse 1613 mg/kg Rat 2920 mg/kg Other

QUARTZ (CAS 14808-60-7)

**Acute** Oral

LD50

LD50 Rat 500 mg/kg

\* Estimates for product may be based on additional component data not shown.

Mouse

**Species** 

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

**Impurities** 

Mild irritant to eyes (according to the modified Kay & Calandra criteria) Mild irritant to eyes

(according to the modified Kay & Calandra criteria)

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization According to the classification criteria of the European Union, the product is not considered as

being a skin irritant.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

TRADE SECRET (CAS Proprietary) 2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

595 mg/kg

**Test Results** 

US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

TRADE SECRET (CAS Proprietary) Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not available. **Aspiration hazard** 

5628 Version #: 04 Revision date: 07-May-2015 Print date: 07-May-2015

#### **Chronic effects**

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.)

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003)

According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Prolonged inhalation may be harmful. Some of the components of this product are hazardous in the respirable form. However, because of the physical nature of this product, dust generation is not expected.

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

# 12. Ecological information

**Ecotoxicity** Components of this product are hazardous to aquatic life.

Components		Species	Test Results
TRADE SECRET (CA	S Proprietary)		
Fish	LC50	Fish	31 mg/L, 96 Hours
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	15.04 - 21.54 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

TRADE SECRET 0.73

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Material should be recycled if possible.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

Contaminated packaging

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: COREFLEX® XP

#### 15. Regulatory information

**US** federal regulations

OSHA Process Safety Standard: This material is not known to be hazardous by the OSHA Highly

Hazardous Process Safety Standard, 29 CFR 1910.119.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

TRADE SECRET (CAS Proprietary)

LISTED

US EPCRA Section 304 Extremely Haz. Subs. & CERCLA Haz. Subs.: Section 304 EHS reportable quantity

TRADE SECRET (CAS Proprietary) 5000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

TRADE SECRET (CAS Proprietary) Cancer

oprictary)

Central nervous system

Liver Blood Flammability

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Yes

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

TRADE SECRET (CAS Proprietary)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

TRADE SECRET (CAS Proprietary)

Safe Drinking Water Act

(SDWA)

Not regulated.

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - Pennsylvania RTK - Hazardous Substances: Listed substance

QUARTZ (CAS 14808-60-7) TRADE SECRET (CAS Proprietary) US. Massachusetts RTK - Substance List

QUARTZ (CAS 14808-60-7)
TRADE SECRET (CAS Proprietary)

US. New Jersey Worker and Community Right-to-Know Act

TRADE SECRET (CAS Proprietary) 500 LBS 500 LBS

**US. Rhode Island RTK** 

TRADE SECRET (CAS Proprietary)

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

QUARTZ (CAS 14808-60-7) Listed: October 1, 1988

# International Inventories

Material name: COREFLEX® XP

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Country(s) or region Inventory name On inventory (yes/no)\* Europe European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe Nο Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Nο New Zealand No New Zealand Inventory **Philippines** Philippine Inventory of Chemicals and Chemical Substances No (PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

### 16. Other information, including date of preparation or last revision

Issue date 18-August-2014 **Revision date** 07-May-2015

Version # 04

**Further information** This safety datasheet only contains information relating to safety and does not replace any product

information or product specification. HMIS® is a registered trade and service mark of the NPCA.

**HMIS®** ratings

Flammability: 0 Physical hazard: 0

Health: 1 NFPA ratings

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and

completeness of such information for each particular use.

Third party materials: Insofar as materials not manufactured or supplied by this manufacturer are used in conjunction with, or instead of this product, it is the responsibility of the customer to obtain, from the manufacturer or supplier, all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of this product in conjunction with materials from another supplier. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.

5628 Version #: 04 Revision date: 07-May-2015 Print date: 07-May-2015

No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)